

SULFO SOIL

Reg. No. B4118 Act No. 36 of 1947

FERTILISER GROUP 2

SULFO SOIL is a liquid suspension concentrate fertiliser for use as a soil treatment to maintain or correct sulphur levels in plants.

Sulphur (S) 562.8 g/kg (799.2 g/ℓ)

SG = 1,42 ± 0.02 @ 20°C



agchem  Member of **Rolfes** GROUP

Registered, Manufactured and Distributed by:
Ag-Chem Africa (Pty) Ltd (Reg. No. 1998/013411/07)
P.O.Box 589, Silverton, 0127, Gauteng, RSA.
Tel: (012) 803-0145 • Fax: (012) 803-8418
www.agchem.co.za

Content • Batch number • Manufacture date

--

SULFO SOIL- 01-2014/01



LIFT HERE

For optimum results **SULFOSOIL** should be used in a programme and in combination with other balanced fertilisers and foliar feeds.

It is advisable to do a miscibility test prior to mixing with other chemicals. Do not apply mineral oil within 4 weeks prior to or after a sulphur application.

Consult with your chemical distributor should crop specific programmes or any other information be required about the use of **SULFOSOIL**.

SULFOSOIL, containing elemental sulphur, is oxidized to plant available sulphate by soil microbes in the presence of water. Under cool soil conditions the oxidation process will be slower.

Ensure thorough agitation of the product during filling and spraying. Always use spray tank strainers when pouring product into spray tank. The spray tank must be flushed out with clean water at the end of the day.

DIRECTIONS FOR USE: USE ONLY AS DIRECTED

CROP	RATE PER HECTARE	REMARKS
Vines	10 - 40 ℓ	Apply through the irrigation system or spray on ridges. Wash in with irrigation water. Ensure good agitation throughout application.
Fruit trees	50 - 100 ℓ	Apply through the irrigation system or spray on ridges. Wash in with irrigation water. Ensure good agitation throughout application.
Wheat	50 - 100 ℓ	Apply through the irrigation system as a pre-plant soil treatment. Ensure good agitation throughout application.
Onions	60 - 120 ℓ	Apply through the irrigation system as a pre-plant soil treatment. Ensure good agitation throughout application.
Potatoes	60 - 120 ℓ	Apply in a minimum of 300 ℓ water/ha as a direct spray during the planting process in furrow. Can be applied onto the plant material. Use SULFOSOIL only on certified, good quality seed tubers.
Sugarcane	60 - 120 ℓ	Apply in a minimum of 300 ℓ water/ha as a direct spray during the planting process in furrow. Can be applied onto the plant material.
Carrots	50 - 100 ℓ	Apply through the irrigation system as a pre-plant soil treatment. Ensure good agitation throughout application.
Pumpkins	40 - 80 ℓ	Apply through the irrigation system as a pre-plant soil treatment. Ensure good agitation throughout application.

Use lower rates as a maintenance spray and higher rates to correct deficiencies.